ANNUAL REVIEW OF

ADDICTIONS RESEARCH AND TREATMENT

VOLUME 3

SUBJECT INDEX

PERGAMON

ANNUAL REVIEW OF ADDICTIONS RESEARCH AND TREATMENT

Editors

James W. Langenbucher, PhD
Barbara S. McCrady, PhD
William Frankenstein, PhD
Center of Alcohol Studies
Rutgers University
Piscataway, NJ 08854

Peter E. Nathan, PhD
University of Iowa
Office of Academic Affairs
111 Jessup Hall
Iowa City, IA 52242

Board of Editorial Advisors

Floyd E. Bloom, MD
Research Institute of the Scripps Clinic

A. Thomas McLellan, PhD
University of Pennsylvania

Charles S. Lieber, MD
Mount Sinai School of Medicine

Eric Single, PhD
Addiction Research Foundation

Myrna M. Weissman, PhD
Columbia University

Editorial Offices: Center of Alcohol Studies, Smithers Hall, Busch Campus, Rutgers University, Piscataway, NJ 08854.

Editorial Assistant: Wendy Boswell

Production Editor: Alayne Bakken, E-mail: A.BAKKEN@ELSEVIER.COM

Publishing, Advertising, and Subscription Offices: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA, E-mail Address: ESUK.USA@ELSEVIER.COM; or Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, England.

Published 1 per annum: *Annual Institutional Subscription Rates 1994*: North, Central and South America, U.S.$170.00, Rest of World £110.00. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Subject Index

Abstinence
  alternatives to in alcohol/drug control policy, 338
  commitment to and cocaine relapse, 38, 41, 44
  motivation for, 213–214
Addiction
  lay treatment of. *See* Self-help and self-directed change research funding for. *See* Mental illness and addictive disorders, research funding of
Adolescence
  drug use and premarital pregnancy/abortion in, 381–397. *See also* Drug use, as risk factor for teen pregnancy and abortion
  prediction of substance use in, 87–94, 121, 122. *See also* Substance abuse in adolescence
AIDS, in drug abuse-primary care treatment, 8–9
Alcohol
  legal availability and consumption of, 281–282
  sensitization/tolerance to. *See also* Sons of alcoholic father in sons of alcoholic father, 159–168
Alcohol abuse and dependence. *See also* Epidemiology of alcohol disorders; Etiology of alcoholism; Occupations and alcohol abuse/dependence
  diagnosis of, DIS/DSM-III in, 108
  epidemiology of, 71–86
  etiology of, 127–148
  occupations and, 103–119, 122
  prevalence of, 109
  studies of
    age-at-onset in, 121
    associated disability in, 121–122
    posttreatment, 19–31
    prevention of, 122
    psychiatric epidemiology and, 121–122
Alcohol abuse and dependence treatment
  for alcohol-abusing workers, 263–274
  behavioral therapy for, 47–56, 66
  choice of modality, by alcohol-abusing worker, 264, 266, 271
  and health care cost reduction, 367–379. *See also* Health care cost reduction with alcoholism treatment
  naltrexone in postdetoxification, 57–64
  outpatient spouse-involved. *See* Behavior modification in alcoholism treatment
  personality and, 134–135
  posttreatment studies of
    1990: at 10 years, 22–34
    early, 20–22
    functioning, long-term, 21–22, 25–29, 30–34
  stage effects of change and, 251, 2009
Alcohol consumption. *See also* Outlet density and alcohol sales advertising restrictions and, 288–289
  availability and
    legal, for time and place, 281–282
    social, 289–290
  movie and TV portrayal and, 289–290
  outlet density and, 283–285, 307–321
  outlet regulations and, 283–285, 307–321
  price and excise taxes and, 280–281
  product labeling and, 286–288. *See also* Warning labels
  server training and, 285–286
  state *versus* privatized distribution systems and, 282–283
  warning labels and, 277, 288, 293–305
Alcohol content labeling, 287, 288. *See also* Warning labels on alcoholic beverages
Alcohol control policy(ies)
  commentary on, 323–324, 399–400
  distribution system structure, 282–283
  economic, price and taxes, 280–281
  legal availability, 281–282
  marketing, 288–289
    freemarket forces and, 323–324
  outlet regulation, 283–285
  prevention research implications of
    active strategies, 326–327
    passive strategies, 325–326
  product content and packaging, 286–288
  for selling/servers, 285–286
  social availability, 289–290
Alcohol use, cognitive motivation and, predictive of problem drug use, 169, 179, 180, 181, 183, 184–185
Alcohol-abusing workers
  job outcomes posttreatment
    measures and analyses of, 265, 269
  rehabilitation of
    choice of treatment in, 264, 266, 271
    compulsory AA only in, 263–264, 266, 267, 269, 274
    compulsory hospitalization in, 263
    supplemental hospitalization in, 264, 265, 267
  treatment options for, 210–212, 261–272, 274
    cost of, 211–212, 269
  treatment outcomes in
    cocaine use and, 267–268

Alcohol-abusing workers (*continued*)
drinking, 265, 267, 269
job performance, 265–267, 269
other drugs and group, 267–269
Alcoholic Beverage Labeling Act (Public Law 100-690, 1988), 294
Alcoholics Anonymous (AA)
diffusion of
alcohol specific factors in, 223
as belief system, 222–223
as interactional system, 222
linguistic and cultural region and, 224, 227
by nation: 1965–1986, 224, 225–226
political system and dominant religion and, 224, 227
preconditions in, extrinsic and intrinsic, 206–208, 222–228
territorial gains in, recent, 227–228
social and cultural preconditions and strength factors of, 206–208, 222–228
for treatment of alcohol-abusing workers, 263–264, 266, 267, 268, 269, 274
Alcoholism. *See* Alcohol abuse and dependence
Alcoholism in women, 149–158. *See also* Twin study of alcoholism in women
Alcohol-related problems. *See also* Alcohol control policy(ies)
alcohol control policies and, 279–291
Attention-deficit disorder and adolescent substance use, 93
Autonomic nervous system, in etiology of alcoholism, 142–143

Behavior modification
in alcoholism treatment, 47–56, 66
in cocaine abuse treatment, 6–7, 65–66
in opiate-detoxification, 11–12, 66
in spouse-involved alcoholism treatment, 47–56
alcohol-focused, 47–56, 66
drinking behavior in, 49–50
drinking outcomes following, 50–51, 52
drinking-related impairment in, 51–52
marital functioning and, 52–53
marital satisfaction and, 52, 53–54
marital therapy plus alcohol-focused, 49, 50, 51, 52, 53–54, 55
subjective satisfaction and, 53, 54
stages of change in, 208–209, 246–248, 257. *See also* Change, in addictive behaviors

Cannabis use and decriminalization, 337
Change
in addictive behaviors, 209, 245–260, 273, 298
definitions and interventions in, 253
mismatched stage effects and treatment, 209, 251
relapse, 249
spiral pattern of, 249–250
treatment implications, 249–250
process of
integration with stages of change, 254–258
as predictor of change, 253–254
self-directed. *See* Self-help and self-directed change
stages of behavior modification in, 208–209, 246–248, 257

Cocaine abuse
adjunctive pharmacotherapy for, 4–6
behavioral interventions for, 6–7, 65–66
pharmacobehavioral therapy for, 7–8
pharmacotherapy for, 65
by workers and treatment outcomes, 267–268
Cocaine relapse posttreatment, 35–45, 67
abstinence commitment and, 38, 41, 44
coping strategies and, 39, 42, 43
negative events and, 38–39
physical symptoms and, 43
positive mood and, 41–42, 44
stress and, 42, 43, 44
Codependency
epidemic of, 201–202
women's problems with, 203–204
Cognitive motivation and drug use, 169–187
analysis in, 176–177
definitions in, operational, 186–187
expectancy-behavior relations theories and, 170–172, 181–182, 190
generalization in drug expectancies in, 172–173, 183
measures in, 174–175
results in, 176–180
vulnerability toward problem drug use and, 173, 181, 183–184
Collaborative Alcohol-Related Longitudinal Project, 95–101
analysis procedures in, 99
individual studies in, 96–98
perspectives in, internal and external, 99
research agendas in, 99, 100
study selection in, 96
Conduct disorder
adolescent substance abuse and
correlation with substance, 91, 94
prediction of, 92–93
Context
of alcohol use
in sons of alcoholic fathers, 167
of drug use, 343–355
life
and functioning postalcoholism treatment, 27–29, 30–31
Coping strategies
cocaine relapse and, 39, 42, 43
posttreatment functioning in alcoholism and, 28, 29, 31–34
Cost. *See also* Health care cost reduction with alcoholism treatment
of health care
alcoholism treatment and reduction of, 367–379
of mental illness and addictive disorders
direct and indirect, 358
regulation of drug and alcohol use and
analysis of cost/benefit of, 399, 400
of treatment for alcohol-abusing workers, 211–212, 269
Criminalization of drug use, 334, 335
health-centered policy *versus*, 334, 335
Cue extinction in cocaine abuse treatment, 6–7

Depression, posttreatment for alcoholism, 25, 27, 29
Distribution systems for alcohol, state-controlled *versus* privatized, 282–283
Drinking age, control policies and alcohol consumption, 281, 282
Drinking behavior. *See also* Collaborative Alcohol-Related Longitudinal Project
Drinking behavior, meta-analysis in longitudinal studies, 95–101. *See also* Collaborative Alcohol-Related Longitudinal Project
Drinking outcomes, in spouse-involved alcohol dependence treatment, 50–52
Drinking patterns and problems, in epidemiology of alcohol disorders, 80–81
Drug abuse-primary care combination treatment, 12–13
  AIDS and tuberculosis in, 8–9
  case management in, 9–10
  research in, 9
Drug control policy models, 332
Drug culture in Rotterdam and Bronx
  commonalities in, 349–350
  differences in, 345–348, 349, 350
Drug use
  in adolescence, predictive study of, 88–93. *See also* Substance use in adolescence
  cognitive motivation and, 169–187. *See also* Cognitive motivation and drug use
  as risk factor for teen pregnancy and abortion, 381–397
    abortion decision and, 393–394
    contraceptive use and, 383–384, 390–391, 393–394
    illicit drugs other than marijuana and, 393–394
    independent variables in study
      conventional behavior/delinquent activities, 387–388
    intervention implications of study, 395
    marijuana and, 394
    predictors of pregnancy, 390–392
    problem behavior *versus* developmental stage model and, 382–383
    sexual activity and, 390, 391, 393, 394
    substance use and, 390, 391–392, 393
Drug use contexts and HIV consequences, 343–355
  Bronx
    client-perceived needs and public health goals in, 346–347
    economic instability and drug use/ sales, 348–349
    war on drugs policy and results, 348–349
  future research in practice and policy, 350–352
    in naturalistic phenomena, ethnographic, 350–351
    outreach strategies of harm reduction *versus* prohibition, 351
  versus needle-sharing only, 344–345
  policy determinants of, 349–350
  Rotterdam
    drug sharing, supportive *versus* needle sharing, 345–346
    policy determinants in, 349
    social responsibility policy, control *versus* elimination, 347–348
Electrophysiological markers in etiology of alcoholism, 136–137
Emergent treatment concepts, 3–13, 65–67
  in cocaine abuse, 3–8, 65
  in drug abuse-primary care combination in, 8–10, 12–13, 66
  HIV prevention and, 10–11
  in opiate detoxification, 11–12
Emotional disorders, adolescent substance use and, 93
Environment
  alcoholism in women and, 189, 190
    twin study of risk for, 155–156
  family, in etiology of alcoholism, 140–141
  treatment
    patient perception of and posttreatment functioning, 25, 27, 31
Epidemiology, psychiatric, contribution of alcohol disorders and studies in, 121–122
Epidemiology of alcohol disorders, 71–86
  consumption questions in, 76, 77
  defined, 71
  future research, 81–83
  historical overview of, 77
  multifactorial, 71
  psychiatric, 74–75
  psychological and psychiatric lineage in, 72–73
  psychosocial, 74
  sociology in
    alcoholism symptoms in, 78–80
    drinking patterns and problems in, 80–81
Etiology of alcoholism
  commentary on, 189–190, 191, 193–195
  familial risk and reduced responsibility, 141–142
  family environment, 140–141
  genetic linkage studies, 140
  genetic models in
    adoption studies, 131–132
    family history data, 130–131
    twin studies, 132
  heterogeneity in, clinical and genetic, 129–130, 194
  hypotheses in, 142–143
  markers for risk, 133–134
  neurocognitive variants in, 135–140
    markers, 135–136, 136–138
    neuropsychological indices, 139–140
    psychosocial reactivity, 138–139, 143
  nosological considerations in, 128–129
  phenotypic expression of, 193, 195
  prevalence and comorbidity in, 127–128
  research methodology in
    drug use and, 189–190
  risk quantification in, genetic and environmental, 128
  treatment and personality in, 134–135
  vulnerability and alcohol expectancies, 190–191
Expectancy theory
  cognitive motivation and, 169–187. *See also* Cognitive motivation and drug use
  generalization in, 172–173, 183
  vulnerability to drug use and, 173, 181, 183–184, 190
Expectancy-behavior relations theories in cognitive motivation and drug use, 171–172

Family
in etiology of alcoholism, 140–141
in rational recovery program, 215
Functioning
independent in rational recovery program, 216
posttreatment for alcoholism
job, 265–267, 269
long-term, 21–22, 25–29, 30–34
in spouse-involved alcohol dependence treatment, 50, 54, 552–53
Funding of research in mental illness and addictive disorders, 357–366. *See also* Mental illness and addictive disorders, research funding of
federal, 362–364, 365, 366
foundation, nonprofit, 364–365, 366
industry, 360–365
state, 360–364

Genetic factors
in etiology of alcoholism, 129–130, 140
models, 130–132
in sons of alcoholic father, 160–166. *See also* Sons of alcoholic father
in women alcoholics, 140–141, 149–158, 189–190. *See also* Twin study of alcoholism in women

Harm reduction
as policy in alcohol/drug control, 334–338
drug use consequences and, 337–338, 400
prohibition and, 399
research results in, 337–338
Health care cost reduction with alcoholism treatment
alcoholism treatment costs and, 373, 376
demographics and, 372
final ANOVA posttreatment costs, 375
health insurance claims by treated and nontreated alcoholic
employees of self-insured company, 369–370
monthly costs
average per capitas, 373
pre/post total medical costs, 374
summary and conclusions, 376–378
HIV prevention education in addiction programs, 10–11, 12, 66
Hospitalization of alcohol-abusing workers, 263, 264, 265, 267

Inner child movement, 204–205

Job performance, alcohol treatment and, 265–267, 269

Labeling of alcoholic beverages for alcoholic content, 286–288
effect on consumption, 287, 288
Lay treatment of addictions. *See also* Self-help and self-directed change
reviews of trends in, 206–212
change applied to addictive behavior, 208–209
self-help quit smoking interventions, 209–210
social and cultural preconditions and strength of AA, 206–208
treatment options for alcohol-abusing workers, 210–212
Legalization model of alcohol/drug control, consequences of, 332, 333, 336–337

Marijuana use and risk for teenage pregnancy and abortion, 394
Mental illness and addictive disorders
costs of, direct and indirect, 358
research funding of, 357–366
by Alcohol, Drug Abuse, and Mental Health Administration, 362, 365, 366
by Defense Department, 364
by Education Department, 363
by Health and Human Services, 383
by industry, 360, 365
by Justice Department, 363–364
by National Aeronautics and Space Administration, 364
by National Science Foundation, 363
over time, 362
as percentage of health care costs, 361–362
by private nonprofit foundations, 364–365, 366
sources of, 361
by states, 350, 364
study methods and limitations, 358–360
by Veterans Affairs Department, 363
Minimum drinking age, effect on alcohol sales, 310, 317
Mood
in alcohol rehabilitation with naltrexone, 62–63
effect on cocaine relapse, 41–42, 44
questionnaire for, 38
Mortality, predictors of, 10 years after alcohol treatment, 24–25, 30
Motivation
for abstinence, 213–214
cognitive, 169–187. *See also* Cognitive motivation and drug use
for treatment
cocaine relapse and, 38–43, 67
stages of change and, 67

Naltrexone
post-detoxification, 57–64
adjunctive pharmacotherapy in, 58
alcohol craving in, 61
benefits of, 63
blood chemistry in, 61
drinking in, 62
dropouts in, 60–61
limitations of, 63–64
psychopathological condition and mood in, 62–63
relapse in, 62
sociodemographics in, 60
subjects and methods, 58–59
Needle-sharing interventions versus drug use context interventions, 344–345
Neurobehavioral markers in etiology of alcoholism, 135–136
Neuropsychological indices in etiology of alcoholism, 139–140

Occupations and alcohol abuse/dependence, 103–119, 122
  models in
    motivational, 115, 116, 117
    social availability, 117
    social control, 116
    structural, 115, 116–117
  prevalence of abuse/dependence in, 107–108
    adjusted, 113–114
    crude, 109–111
  previous studies of
    alcohol-related physical illness, 105
    cirrhosis mortality statistics, 105
    population survey in, 105–107
    treated alcoholics, 104–105
  results of, 109–114
  review and analysis of, 107–117
    employment *versus* unemployment in, 114
    occupation in, 108–109
    working conditions and, 115, 116
Offset (reduction in health care costs)
  alcoholism treatment and, 367–379. *See also* Health care cost reduction with alcoholism treatment
Opiate detoxification, emergent concepts in, 11–12
Outlet density and alcohol sales, 307–321
  alcohol-related problems and, 319–320
  economic activity and, 313, 318
  income and price and, 316–317, 319
  land area per adult and, 315–316
  minimum drinking age and, 310, 317
  policy implications of, 319–320
  previous studies of, 308–309
  social norms and, 310, 319
  of spirits, 313, 314, 318
  tax rates and, 318–319
  tourism and, 317
  of wine, 314, 315, 316, 318
Outlets. *See also* Outlet density and alcohol sales
  regulation of and alcohol consumption
    density of, 283, 284, 285, 307–321
    sales hours and days and, 283–284, 285
    by state, 282, 283
    types of, 284, 285

Personality, in etiology of alcoholism, 134–135
Pharmacotherapy
  for alcohol abuse
    naltrexone hydrochloride, 57–64, 65
  for cocaine abuse, 4–6, 65
  in opiate detoxification, 11–12
Policy: alcohol, 279–291. *See also* Alcohol control policy(ies)
Policy: alcohol and drugs, 331–341
  conclusion and future of, 338–339
  current status, 333–338
    harm reduction in, 335–336
    health-centered *versus* criminalization, 334–335
    prohibition/criminalization, 334, 335
  harm reduction research and
    alternatives to abstinence, 338
    in decriminalization of cannabis, 337
    social controls and tobacco use, 337–338
  historical overview, 331–333
    legalization, 332, 333
    prohibition, 332–333
    regulation, 332
Policy: drug, effect on patterns of use and HIV consequences, 347–350. *See also* Drug use contexts and HIV consequences
Prediction of functioning and mortality with alcohol dependence: 10 years posttreatment, 22–31. *See also* Alcohol abuse and dependence, posttreatment studies of
Prevention research in alcohol control, active and passive strategies, 325–327
Price, alcohol sales and, 316–317, 318, 319
Price and taxes, alcohol consumption and, 280–281
Prohibition, effect on drug use consequences, 399–400
Prohibition model of alcohol and drug control, 332, 333, 334
  decriminalization and, 337
  illicit market consequences of, 336
Psychiatric disorders, adolescent substance use and, 88, 89, 90, 91
Psychiatric factors in epidemiology of alcohol disorders, 74–75
Psychophysiologic reactivity in etiology of alcoholism, 138–149, 143
Psychosocial factors in epidemiology of alcohol disorders, 72–73, 74

Rational emotive behavior therapy, 212
Rational recovery *versus* AA, 206–218, 275
  addictive voice recognition training in, 217
  ambivalence *versus* denial in, 214–215
  client-treatment matching in, 218
  competence *versus* powerlessness in, 213
  course of recovery in, 217
  family noninvolvement and, 215
  versus illusion of denial, 214
  independent function in, 216
  insight orientation in, 217
  meeting format in, 215
  mode of recovery in, 213
  motivation to abstain in, 213–214
  versus one-day-at-a-time, 214
  purpose of, 212
  rational emotive therapy and, 212
  task orientation in, 216
Regulation model of alcohol and drug control, 332
  consequences of, 336–337
Regulation of drug and alcohol use, cost/benefit analysis of, 399, 400
Relapse
  during addictive behavior modification, 249
  following cocaine rehabilitation, 35–45. *See also* Cocaine relapse posttreatment
  during naltrexone alcohol rehabilitation, 62
Risk
  in etiology of alcoholism
    environmental, 155–156

Risk (*continued*)
familial, 141–142
markers for, 133–134

Self-help and self-directed change. *See also* Codependency; Rational recovery *versus* AA; Smoking cessation interventions
Rational Recovery Self-Help Network *versus* AA and, 200, 212
rational recovery *versus* AA, 206–218, 275
in smoking cessation, 209–210
12-step programs
Adult Child of an Alcoholic *versus* Inner Child, 200–201
backlash against, 219
codependency, 201–204
criticisms of, 205–206, 219, 274
evolution of, 200–205
inner child movement, 204–205
Smoking cessation interventions, 231–244
commentary on, 273–274
discussion, 241–243
outcomes of, 237–241
printed materials in, 209, 234, 238, 241
plus social support, 234, 243
plus social support and telephone counseling, 234–235
use and ratings of, 236–237
social support instructions in, 209, 210, 238–239, 240, 242
stages of change in, 210
telephone counseling in, 209, 210, 239, 242–243
Social availability of alcohol
in alcohol control policies, 289–290
in occupations and alcohol abuse/dependence study, 117
Social control and substance use
in occupations and alcohol abuse/dependence study, 116
tobacco use and, 337–338
Social support in smoking cessation, 234–235, 243
Sociologic factors
in epidemiology of alcohol disorders, 78–83
in etiology of alcoholism
alcoholism symptoms in, 78–80
drinking patterns and problems in, 80–81
Sons of alcoholic father
chronic alcohol sensitization/tolerance in, 159–168
alcohol dose in, 162
analyses in, primary and casewise, 163–165
commentary on, 190–191
compared with sons of nonalcoholic father, 159–160
context dependency in, 167
heart rate and automaticity measures in, 162–163
motor activity in, 163, 165, 166
purpose of study, 159–161
results of, 162–165
subject selection and, 161–162
temperamental differences in, 166–167
State beverage control, effect on alcohol consumption, 282, 283
Stress, effect on cocaine relapse, 42, 43, 44
Substance use in adolescence. *See also* Drug use
follow-up predictive study of
attention-deficit disorder and, 93
conduct disorder and, 92–93
emotional disorder and, 93
increase in, 92
method in, 88–90
patterns in early *versus* late adolescence, 90–91
prevalence by sex, 90, 91
Symptoms
of alcoholism
in epidemiology of alcohol disorders, 78–80
physical
effect on cocaine relapse, 43
posttreatment for alcoholism, 25, 27

Tax rates, alcohol sales and, 318–319
Telephone counseling, plus social support, 209, 210, 239, 242–243
Temperament and chronic alcohol sensitization/tolerance, 166–167
Twelve-step programs. *See under* Self-help and self-directed change
Twin study of alcoholism in women, 149–158
correlation of liability in, 151–152
environmental risk factors in, 155–156
genetics and environment in, 152–153
heritability estimates in, 155
multiple threshold model in, 152, 153
personal interview in, 151
prevalence and probandwise concordance in, 153, 154
results, 153
sample in, 150
statistical analysis of, 152
tetrachoric correlation and fit in, 153–155
zygosity information in, 150–151

Warning labels on alcoholic beverages, 286–288, 293–305
Alcoholic Beverage Labeling Act (Public Law 100-690, 1988) and, 294
effect on consumption
historical perspective on, 294–295
sample and methodology, 295–297, 303–304
knowledge associated with: 1990, 300–301, 304
knowledge levels and
differences: 1989 and 1990, 299–300, 301
messages on current labels, 294, 296
omitted, 296–297
seen according to population, 297–299
Workplace
alcohol consumption and control policies, 281, 282